


ALLNET - Kiosk Octa Core Android board (2G+8G) FullHD, Wlan, ALL-DS836



EAN CODE



ALL-DS836 digital signage control board integrates multimedia decode, LCD driver, Ethernet, HDMI, WIFI, Bluetooth, 3G in one, supporting most current fashionable video and picture format decode, supporting HDMI/VGA video output, dual LVDS driver, able to drive various TFT LCD screen, greatly simplifying system design of whole player, suitable for HD network player box, video advertising player and frame advertising player.


Main Hardware Index

CPU	A83T, octacore, main frequency 2GHz
Internal Memory	2G (optional)
Built-in Memory	EMMC 4/8/16/32G (optional)
Built-in ROM	2KB EEPROM
Decode definition	support Max. 1080P
Operating System	Android 4.X above
Play Mode	support loop, timing, inter-cut and various play modes
Network Support	Ethernet, support WiFi/bluetooth 4.0, wireless peripheral extension
Video Play	support wmv, avi, flv, rm, rmvb, mpeg, ts, mp4 etc.
Image Format	support BMP, JPEG, PNG, GIF
USB 2.0 port	2 USB HOST, 3 USB sockets
Serial Ports	3 serial ports (including one 232 serial port in default)
GPS	external GPS (optional)
WiFi/BT	built-in WiFi, BT 4.0 (optional)
Ethernet	one, 10M/100M self-adaptive Ethernet
SD Card	support SD card
LVDS Output	1 single/dual channel, able to drive



Art.-Nr.: 136071
Herst.-Nr.: ALL_DS836_kiosk

HDMI Output	50/60HzLCD screen directly
Audio/ Video Output	1,support1080P output support left and right channel output, built-in dual
RTCRealTime Clock	4R/20W,8R/10Wamplifier
TimingSwitch	support
System Upgrade	support
	support local SD,USB upgrade



Zubehör

Art.-Nr.	Name
105571	ALLNET Ersatznetzteil 12V/2,0A